

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	23	(stack near20 clamp near20 spring) and (x near2 Y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 17:34
L10	744	(stack) and (x near2 Y) and (arm or holder) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:19
L11	27	((stack) near20 (capacitor)) and (x near2 Y) and (arm or holder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:10
L12	123	(stack) and (robot near2 arm) and (capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 18:19
S91	713	capacitor and (stack) and "29"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S92	0	((((100/266) or (100/267) or (100/268)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S93	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor near10 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S94	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (capacitor and stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S95	0	((((100/266) or (100/267) or (100/268)).CCLS.) and (ceramic and stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S96	1884	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S97	0	((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and ((capacitor near10 stack) or (green near10 sheet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S98	2303	(29/25.03).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:33
S99	55	pacemakers.asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S10 0	1839	magazine and (stack) and press and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S10 1	0	magazine and (stack) and press and spring and (vision near4 alignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 2	13	(("4,553,304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588")). PN.	USPAT; USOCR	OR	OFF	2005/05/28 13:32
S10 3	50	capacitor and (stack) and "228"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 4	16	capacitor and (stack) and "100"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S10 5	2	((((100/266) or (100/267) or (100/268)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 6	3	((((100/266) or (100/267) or (100/268) or (100/265)).CCLS.) and (chip and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 7	18	((("4,553,304") or ("4,683,516") or ("5,522,851") or ("5,628,801") or ("5,640,756") or ("5,814,082") or ("5,908,151") or ("5,983,472") or ("6,006,133") or ("6,030,480") or ("6,110,321") or ("6,402,793") or ("6,413,283") or ("6,509,588") or ("6141205") or ("6522525") or ("20010020319") or ("20040127952"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/28 13:32
S10 8	60	(fixture near20 spring) and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S10 9	92	medtronic.asn. and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 0	4	magazine and (stack) and press and spring and (vision near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 1	12	magazine and (stack) and press and spring and (alignment near4 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 2	119	(156/564).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32

S11 3	146	(156/565).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 4	120	S98 and (capacitor and stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 5	229	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 6	207	(156/563).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 7	287	(156/559).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S11 8	325	capacitor and (stack) and "156"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S11 9	345	(156/362).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 0	357	(100/45).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 1	457	capacitor and (stack) and "29"/\$. ccls. and (layer or layers) and (press or pressure or pressing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32

S12 2	419	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 3	421	(156/363).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 4	471	(156/364).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 5	417	magazine and (stack) and "156"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S12 6	788	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 7	1200	((100/266) or (100/267) or (100/268)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S12 8	52	capacitor and (stack) and (cold near5 weld)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S12 9	9	("2640605" "4657465" "4765791" "5228373" "5437534" "5868546" "6015257" "6102651").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/28 13:32
S13 0	417	(414/789.9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32

S13 1	37	"414"/\$.ccls. and stack and spring and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 2	359	(414/790).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:34
S13 3	119	(414/790.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S13 4	12	"414"/\$.ccls. and stack and fixture and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 5	59	magazine and (stack near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 6	14	capacitor and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 7	15	(electrode near3 layer) and (stack) and (placement near5 robot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S13 8	2	("6233135").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/28 13:32
S13 9	2	capacitor and (stack) and "29"/\$. ccls. and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:29

S14 0	337	capacitor and (stack) and (photosensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:34
S14 1	54	capacitor and (stack) and (photoelectric near3 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S14 2	98	capacitor and (stack) and sensor and "156"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 13:32
S14 3	1125	fixture and clamp and spring and (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:29
S14 4	0	fixture near20 clamp near20 spring near20 (stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:30
S14 5	414	fixture near20 clamp near20 spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:30
S14 6	16	(fixture near20 clamp near20 spring) and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:36
S14 7	377	(stack near20 clamp near20 spring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:36
S14 8	14	(stack near20 clamp near20 spring) and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 14:50
S14 9	6	("2535367" "2732498" "3202890").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/28 14:47
S15 0	8	("3701932").URPN.	USPAT	OR	ON	2005/05/28 14:47

S15 1	114	(stack near20 clamp near20 spring) and sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 17:12
----------	-----	---	---	----	----	------------------